


CHARACTERISTICS

- 10" capacitive touchscreen display
- RockChip Quad Core CPU, 4GB RAM, 64 GB FLASH
- Wi-Fi 5 and Bluetooth connectivity
- VESA 75 and 100 standard mounting
- Panel mounting clips included
- IP65 Front Protection



SYSTEM

CPU	RockChip RK3568 Quad-Core 2GHz Cortex A55 Based Mali-G52 GPU
MEMORY	4GB
STORAGE	64GB Flash
OPERATING SYSTEM	Android 12

INPUT / OUTPUT

WI-FI	802.11 Dual a/b/g/n/AC
BLUETOOTH	4
PORTS	2 x USB 3.0 Type A, 2 x USB 2.0 2 x RS232 1 x RJ45 1 x HDMI 1 x Audio output 1 x DC-Jack
BUTTONS	Power ON

DISPLAY

SIZE	LCD 10"
BRIGHTNESS	700 Nits
RESOLUTION	1280 x 800
BACKLIGHT	LED
TOUCH	Capacitive

DIMENSIONS AND WEIGHT

WEIGHT	1.2Kg
DIMENSIONS	258 x 170 x 46 mm

INDUSTRIAL PROTECTION

ANTI-DUST ANTI-WATER	IP65 Front
DISPLAY	GORILLA GLASS
OPERATIONAL TEMPERATURE	-20°C ~ 60°C
HUMIDITY	5% - 95%

POWER

POWER	Input: 12~24VDC Charge: DC-Jack
-------	------------------------------------

INCLUDED IN BOX

POWER SUPPLY	Input: 100-240VAC, 50-60 Hz Output: 19VDC 3.42A DC-Jack
RETAINING CLIPS	Quantity: 4 pieces
EXTERNAL WI-FI ANTENNA	2bBi SMA Dual 51.5mm long

OPTIONAL

4G MODEM	GSM:900/1800 LTE-FDD:B1/B3/B5/B7/B8/ B20 LTE-TDD:B40 LTE: Category 4
----------	---

PURCHASE CONFIGURATIONS

PART NUMBER

DESCRIPTION

P101CC7ABS16AAA2AU

10", Rockchip CPU, 4GB, 64GB, Android 12

*default option